

TECHNICAL DATA SHEET

TDS 513 / Index 01 - 15/09/2014

513



ORASOLV N 'FOOD INDUSTRIES' PRODUCT LINE

SAFE FLASH POINT TYPE A3 SAFE SOLVENT

DEFINITION

Solvent synthesized from high-quality refined hydrocarbons for effective degreasing that meets the specifications for use in the food industry.

ADVANTAGES

ODOURLESS and COLOURLESS.

Tasteless.

Contains no recycled solvents.

Very economical waste treatment by ORAPI branch.

70% biodegradable in 28 days, in accordance with the OECD 301F standard.

Compliant with new EU regulations (contains no chlorinated or fluoride solvents) and free of aromatic compounds.

Evaporates rapidly when blown dry.

High flash point guarantees user safety.

Deeply penetrates and completely dissolves greasy deposits and sludge.

Does not cause the oxidation of ferrous metals once product has dried.

When product is not blown dry, it leaves a light greasy anti-corrosion film that is useful for intermanufacturing operations.

APPLICATION FIELDS

Specifically adapted to the rapid and thorough degreasing of all mechanical parts and metal surfaces in the food industry: cleaning of engine blocks, mating surfaces, electric motor windings (dismantled). Use in part washers and in ultra sonic washers.

TECHNICAL CHARACTERISTICS

Aspect	transparent liquid
Colour	colourless
Odour	odourless - 0 score
Density at 20°C	0.786
Flash point	> 61°C
Rate of evaporation (internal standard)	0.2
Dielectric strength	> 40 000 V

1/2 Head office

Parc Industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas - FRANCE Tel. +33 (0)4 74 40 20 25 - Fax +33 (0)4 74 40 20 26 www.orapi-maintenance.com

ORAPI ® cannot know about every application for which the products are used nor their conditions of use. ORAPI ® shall not be held responsible: for the suitability of its products for a given use or specific purpose, for the methods of application over which it has no control. The information contained here can on no account be a substitute for the preliminary tests which are essential and which must be carried out in order to check the suitability of the product to each specific case. The user of the product described in this technical data sheet is solely responsible for all measures required to protect people and property from hazards that may arise from the implementation and/or use of this product. Therefore, ORAPI ® renounces any implicit or explicit guarantees, including guarantees relating to marketability or suitability for a certain purpose, resulting from the sale or use of its products. In particular, ORAPI ® renounces any claims for incidental or consequential damages whatsoever, including financial operating losses.



TECHNICAL DATA SHEET

TDS 513 / Index 01 - 15/09/2014

INSTRUCTIONS FOR USE

<u>Used neat and cold</u>: with a brush, cloth, by immersion or in a part washer.

Especially adapted for use with ORAPI degreasing part washers equipped with stationary pumps.

Electrical part washer for 200 l drum ref. 700050

Pneumatic pump part washer for 200 l drum ref. 700051

45 l upright electrical part washer ref. 700061

PACKAGING

1 I container	Ref. 2513 I2	x 4
20 I drum	Ref. 2513 O1	x 1
200 I drum	Ref. 2513 U2	x 1

INFO

Collection of used solvents: please contact us.

ORAPI handles everything.
Collection, transport, destruction, treatment certificate.

2/2 Head office

Parc Industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas - FRANCE Tel. +33 (0)4 74 40 20 25 - Fax +33 (0)4 74 40 20 26 www.orapi-maintenance.com