



ORASOLV S1

RESIN AND INK CLEANING

SAFE FLASH POINT
IKB > 150

DEFINITION

High-quality food-grade solvent for efficient degreasing and cleaning of inks, glue and adhesive residue and resins.

ADVANTAGES

- Contains no recycled solvents.
- Very economical waste treatment by ORAPI branch.
- 70% biodegradable in 28 days, in accordance with the OECD 301F standard.
- Compliant with new EU regulations (contains no chlorinated or fluoride solvents) and free of aromatic compounds.
- Evaporates rapidly when blown dry.
- High flash point guarantees user safety.
- Deeply penetrates and completely dissolves greasy deposits and sludge.
- Does not cause the oxidation of ferrous metals once product has dried.
- When product is not blown dry, it leaves a light greasy anti-corrosion film that is useful for inter-manufacturing operations.

APPLICATION FIELDS

- Cleaning of printing inks and felt tip pen marks.
- Cleaning of sticker residue on glass, plastic and metal.
- Cleaning of sap on saw blades.
- Cleaning of guillotine blades.
- Cleaning and lubrication of adhesive cutting scissors.
- Specifically adapted to the rapid and thorough degreasing of all mechanical parts and metal surfaces: cleaning of engine blocks, mating surfaces, electric motor windings (dismantled).
- Use in part washers and in ultra sonic washers.

TECHNICAL CHARACTERISTICS

Aspect	transparent liquid
Colour	colourless
Odour	characteristic
Density at 20°C	0.952
Flash point	> 80°C
Rate of evaporation (internal standard)	0.2
Dielectric strength	> 40,000 V

1/2

Head office

Parc Industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas - FRANCE
Tel. +33 (0)4 74 40 20 25 - Fax +33 (0)4 74 40 20 26 www.orapi-maintenance.com

ORAPI® cannot know about every application for which the products are used nor their conditions of use. ORAPI® shall not be held responsible: for the suitability of its products for a given use or specific purpose, for the methods of application over which it has no control. The information contained here can on no account be a substitute for the preliminary tests which are essential and which must be carried out in order to check the suitability of the product to each specific case. The user of the product described in this technical data sheet is solely responsible for all measures required to protect people and property from hazards that may arise from the implementation and/or use of this product. Therefore, ORAPI® renounces any implicit or explicit guarantees, including guarantees relating to marketability or suitability for a certain purpose, resulting from the sale or use of its products. In particular, ORAPI® renounces any claims for incidental or consequential damages whatsoever, including financial operating losses.

INSTRUCTIONS FOR USE

Used neat and cold: with a brush, cloth, by immersion or in a part washer.

Especially adapted for use with ORAPI degreasing part washers equipped with stationary pumps.

Electrical part washer for 200 l drum ref. 700050

Pneumatic pump part washer for 200 l drum ref. 700051

PACKAGING

1 l container	Ref. 2543 I2	x 12
5 l jerry can	Ref. 2543 J1	x 4
20 l drum	Ref. 2543 O1	x 1
200 l drum	Ref. 2543 U2	x 1

INFO

Collection of used solvents: please contact us.

ORAPI handles everything.
Collection, transport, destruction, treatment certificate.

2/2

Head office

Parc Industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas - FRANCE

Tel. +33 (0)4 74 40 20 25 - Fax +33 (0)4 74 40 20 26 www.orapi-maintenance.com