

# CATALOGUE

# RAILWAY INDUSTRY



**VERSION 17**  
August 2022

 = Framework Contract CTR00078705

 = Framework Contract CTR00072209

Supplier Code ERP 0000993851

Site Code F03392 - ORAPI01 150



# ORAPI

CLEAN & PROTECT TOGETHER



THE ONLY FRENCH MANUFACTURER  
VERTICALLY INTEGRATED FROM DESIGN TO MARKETING



# PENETRATE & RELEASE

P & R



## DEGRYP'BIO 817

817

For very difficult dismantling in parts where the environment protection is essential: forest, stream, lakes, seas, gardens... Designed for a minimal impact on environment, using vegetable lubricating, degreasing and dettaring raw materials. Quick action. Wetting, penetrating, water-repellant, rust remover and non-corroding.

### SNCF Internal Application

Rail on tracks dismantling infra log Lorraine demand + ETF Eurovia 2017 application

4817A4 400 ml spray x12

SNCF Symbol N° 72100306



## WR+ 805

805

Get rid of humidity, by repelling water on metal and suppress short-circuits. Penetrate quickly by infiltrating into cracks, release pieces providing them a steady functioning. Protect, deposit a thin layer of non-corrosive and lubricating substances. Clean and insert under dirt.

### SNCF Internal Application

Water-Repellant multipurpose penetrating grease without application specification

4805A4SNCF 400 ml spray x12

SNCF Symbol N° 02733340



## KLEANER 503

503

Cleaner, quick-drying grease remover. Quick cleaning of all materials and small mechanisms, contacts and printed circuits (unplugged). Perfect for cleaning all difficult to reach surfaces. Very high grease dissolution power. Do not contain any chlorine solvent. Do not damage fragile materials, marking oils. Quick evaporation on ambient temperature.

### SNCF Internal Application

Dry and quick degreasing cleaner for all surfaces. Specific for plastic materials before sticking, painting...

4503A4SNCF 400 ml spray x12

SNCF Symbol N° 72100328



## NDI 507

507

Powerful dry solvent, quick discharge, before sticking, bleeding, remove residues, oil, greasy depositions and harmful impurities.

### SNCF Internal Application

Powerful industrial degreaser cleaner, dry solvent which leaves no residue after evaporation.

4507A4SNCF 400 ml spray x12

SNCF Symbol N° 72100044



## REDUCE 4 800

800

Very Quick Action. Wetting, penetrating, rust remover, cleaner, water-repellant, phosphating, lubricant. For very difficult dismantling without thread damage.

4800A5SNCF 500 ml spray x12

2800J1 5 l jerrycan x4

SNCF Symbol N° 72100380 (Aero.)

SNCF Symbol N° 02730143 (5 l)



# CLEAN - SOLVENTS



## BIOSOLV EXAM D-GEL C335

C335

New generation biodegradable herbal extracts solvent.

### SNCF Internal Application

Isolators, glass, resin & Teflon cleaning

C335/005 5 l canister x4

SNCF Symbol N° 02100263



## NATUR'SOLV 582

582

High-tech new generation solvent, synthesised from plantbased raw materials. Excellent degreaser and tar remover. Penetrates deeply and dissolves greasy depositions and dirty oils. Protects against corrosion, VOC-free.

2582J1 5 l canister x4

SNCF Symbol N° 02100489



## NET FREINS 516

516

Dry cleaner, grease remover for brakes. Evaporates very quickly, does not attack plastics. Powerful spray. Removes oil, brake pad residue etc.

4516A4 400 ml spray x12

SNCF Symbol N° 72100069



CLEAN

## CLEAN - SOLVENTS

### ORANGE SOLVENT

550

Clean and dissolve fatty matters. Detarring and descaling combustion residues. Protect mechanic parts by affixing a thin fat layer. Non-irritating.

#### SNCF Internal Application

Degreasing cleaner before signs sticking plan.

4550A4 400 ml spray x12

SNCF Symbol N° 72100279



### ORASOLV C

573

Mechanical degreaser of very high quality for efficient degreasing. Specially adapted for fast and complete degreasing of all mechanical parts and metal surfaces.

#### SNCF Internal Application

Mechanical degreaser without C.O.V.

2573J1SNCF 5 l jerrycan x4

2573O1SNCF 20 l keg x1

2573U2SNCF 200 l drum x1

2573N1SNCF 1 000 l container x1

SNCF Symbol N° 02100293 (5 l)  
SNCF Symbol N° 02100112 (20 l)  
SNCF Symbol N° 02100113 (200 l)  
SNCF Symbol N° 02100114 (1000 l)



### ORASOLV P

540

Designed for a full and quick degreasing of every dirty surfaces. A3 type security solvent. Can insure an inter processing protection. Perfect for an application on very greasy mechanic parts.

#### SNCF Internal Application

Security Solvent Infra MD2-MD4 cables

2540J1SNCF 5 l jerrycan x4

SNCF Symbol N° 02100035



### ORASOLV S 232

5232

Solvent without labelling  
Cleaning ink, resin, P.U.

NEW

25232J1 5 l jerrycan x4

SNCF Symbol N° 02100639

### ORASOLV B60

571

Degreasing of every greasy metal surfaces. Evaporates slowly, leaving a light, corrosion inhibiting film.

#### SNCF Internal Application

Standard solvent with flash point of 60 ° C  
Dielectric strength > 40 kv

2571J1SNCF 5 l jerrycan x4

2571O1SNCF 20 l keg x5

2571U2SNCF 200 l drum x1

SNCF Symbol N° 02100220 (5 l)

SNCF Symbol N° 02107205 (20 l)

SNCF Symbol N° 82100260 (200 l)



### ORASOLV D

574

Dielectric degreaser. Specially adapted for rapid and complete degreasing of all mechanical parts and metal surfaces: cleaning of engine blocks, joint planes, electrical motor windings (dismantled).

#### SNCF Internal Application

Dielectric degreaser without C.O.V.

2574O1SNCF 20 l keg x5

2574U2SNCF 200 l drum x1

2574N1SNCF 1 000 l container x1

SNCF Symbol N° 02100130 (20 l)

SNCF Symbol N° 02100131 (200 l)

SNCF Symbol N° 02100153 (1000 l)

### ORASOLV S1

543

Non-toxic solvent, such as DECOL ETIQUETTE and CLEANING OF INKS, MARKERS, METAL WRITINGS.

NEW

2543i2 1 l canister x12

SNCF Symbol N° 02100608



### ORASOLV S263

5263

For the dissolution, stripping and stripping of polymerized POLYURETHANES. Dissolves, cleans, etches paints, resins and other polyurethane-based polymers. Contains no harmful solvents. Contains no easily flammable solvents.

#### SNCF Internal Application

Dissolution of PU foams

25263J1 5 l jerrycan x4

SNCF Symbol N° 02100464

## CLEAN - DETERGENTS

### NET GLACE 5023

Cleaner (winter / summer) for all the front windows of rolling stock: TGV, locomotives, railcars, ...

#### SNCF Internal Application

Cleaner (winter / summer) for all the front windows of rolling stock: TGV, locomotives, railcars, ...

2502301	20 l keg	x6
25023U2	200 l drum	x1
25023N1	1000 l Container	x1

SNCF Symbol N°	ON GOING
SNCF Symbol N°	ON GOING
SNCF Symbol N°	ON GOING

### NET' VITRES 5021

Cleaner for all glass surfaces, also used for plastic and laminate surfaces. Specially implemented for railway rolling stock. Antistatic effect against dust. Leave no trace.

#### SNCF Internal Application

Cleaner for all glass surfaces, is also used for plastics and laminated surfaces.

25021i3G	750 ml spray bottle (PAE gel)	x60
----------	-------------------------------	-----

SNCF Symbol N°	02100417
----------------	----------



### ORANET M 532

Very strong detergent for unpainted metals. Cleaning of car bodies, sumps, machines construction, mechanic parts. Usable with brush, by soaking, with high pressure cleaner.

#### SNCF Internal Application

Multipurpose degreasing detergent to dilute for machines and degreasing fountains with no specific utilization.

253201SNCF	20 l keg	x1
------------	----------	----

SNCF Symbol N°	02100550
----------------	----------



### ORANET N 537

Multi-purpose, VOC-free mild liquid detergent. Cleaning of lorry and car bodies, tarpaulins, painted surfaces, floors, machine frames, regular maintenance of aluminium parts, etc. Can be used with a brush, in an automatic washing system, scrubber-drier or pressure washer.

**NEW**

253701	20 l keg	x1
--------	----------	----

SNCF Symbol N°	02100755
----------------	----------



### NET TRAIN + 54772

Specific concentrated alkaline cleaner for the cleaning of trains and other railway rolling stock. Degreaser specially developed to remove traces of catenary dust on train cars and locomotives.

#### SNCF Internal Application

Super concentrated alkaline cleaner specifically for the cleaning of trains and other railway rolling stock. Dilution is 2 to 3 times higher than "usual" products.

25477201	20 l keg	x4
254772U2	200 l drum	x1
254772N1	1000 l container	x1

SNCF Symbol N°	02100470 (20 l)
SNCF Symbol N°	02100471 (200 l)
SNCF Symbol N°	02100472 (1000 l)



### NET' VITRES ECOCERT 5022

Cleaner for all glass surfaces, can also be used for plastic and laminate surfaces. formulated from ECOCERT active raw materials.

#### SNCF Internal Application

Cleaner for all glass surfaces, formulated from ECOCERT active raw materials.

25022i3	750 ml spray bottle	x60
2502201	20 l keg	x5

SNCF Symbol N°	02100415 (750 ml spray)
SNCF Symbol N°	02100416 (20 l)



### ORANET M25 5325

Biodegradable ready for use watery degreaser for every metallic mechanic parts where you want to avoid corrosion risks. Does not include any solvent. Without COV, with no impact on the ozone layer.

#### SNCF Internal Application

Ready for use degreasing detergent for machines and degreasing fountains with no specific utilization.

2532501SNCF	20 l keg	x5
-------------	----------	----

SNCF Symbol N°	72100210
----------------	----------



### OURAGAN 5152

Ready-to-use, multi-purpose disinfecting and deodorising detergent. Cleans and degreases all surfaces. For use in offices, workshops, changing rooms, kitchens, etc..

#### SNCF Internal Application

Cleaning the touch pads. Versatile, ready-to-use detergent disinfectant and deodorant.

25152i1	500ml spray bottle	x6
---------	--------------------	----

SNCF Symbol N°	ON GOING
----------------	----------



## CLEAN - DETERGENTS



### POWER 960

960

Biotechnology manufacturing degreaser gel high performance. Especially intended for cleaning parts in heavy work and in an industrial environment. Adheres easily to vertical surfaces and inaccessible areas.

#### SNCF Internal Application

Industrial biodegradable degreaser of high performance, highly concentrated and solvent free.

OR9605P1SNCF 5 l canister x1

SNCF Symbol N° 02100327



### QUICK SOL HP

9083

Very powerful liquid detergent and nicely perfumed. Dissolves and removes all traces of greasy deposits with amazing efficiency.

#### SNCF Internal Application

Renovator powerful concentrated, perfumed, for tough industrial cleaning problems, grease, oil, dirt encrusted; without solvents.

29083J1SNCF 5 l jerrycan x1

29083O1SNCF 20 keg l x1

SNCF Symbol N° 02100268 (5 l)

SNCF Symbol N° 02100267 (20 l)

## STRIPPERS & MULTI-PURPOSE



### DECAPANT

585

Stripping of graffiti from walls, carriages, road signs, glass, wood etc. Efficient on paints and felt-tip stains. Stripping of all types of paint from all vertical surfaces.

#### SNCF Internal Application

Super paint remover without CMR  
Removes paint, seal, graffiti

4585A4SNCF 400 ml spray x12

SNCF Symbol N° 72100356



### DELICAL

C027

Liquid descaler, for food industries with a color indicator.

#### SNCF Internal Application

Liquid descaler, for food industries with a color indicator.

C027/0001SNCF 1 l can x6

SNCF Symbol N° 02100077



### EAU DE JAVEL

0006

Bleach with 9.6% active chlorine. Disinfection of surfaces (floors, tiles, sanitary ...). Renovation of facades. Whitening, stain removal and disinfection of laundry. Ideal for disinfection. Can be used pure or in solution depending on the application.

OR0006 250 ml jug x24

SNCF Symbol N° 02100486



### GIVREUR 2 Chicles

9512

No harmful, no VOC and nonflammable. Emulsion in water of anti-adherents used for the protection of fixtures and tools in welding operations. Removes with water.

#### SNCF Internal Application

Generates intense cold. Multi-positions. De-seizes by thermal shock. Cleaning chewing gums on fabrics, seats and floors.

49512A4SNCF 500 ml spray x12

SNCF Symbol N° 72100213



### LELIPROTECH


OH0234

NEW

Concentrated liquid detergent for all technical clothing. Preserves fibers thanks to its low alkalinity. Prevents color alteration and preserves the effectiveness of the detergent reflective stripes.

OH0234 20 kg canister x1

SNCF Symbol N° 02100579





## CLEAN - MULTI-PURPOSE

### LIQUIDE VAISSELLE

**AR704**

Lemon scent. Washing and degreasing by hand of dishes and cooking utensils. Degreases thoroughly and makes the dishes crisp and clear.

Dosage: 0.2% or 2 ml per liter of water. Rinse with drinking water. Use manually or with a doser.

**SNCF Internal Application**

Manual washing and degreasing of all cooking tools.

AR704 5 l canister x2

SNCF Symbol N° 02100476

### NET MOQUETTE

**5494**

Foaming carpet shampoo concentrated and active on all types of dirt, organic or mineral. Effective on carpets, fabrics, and other textiles. Cleans, deodorizes and leaves a pleasant scent.

**SNCF Internal Application**

Cleaning of carpets, seats, fabrics.

25494J1 5 l canister x4

SNCF Symbol N° 02100506

### NET MOUSS

**5002**

All materials cleaning foam. Computers, televisions, stratified furnitures, illuminated front stores, plastic or metallic bumpers, printer bodies... Especially for very clogged surfaces, metallic or PVC constructions.

**SNCF Internal Application**

Multi-surface cleaning foam: Plastics, metals, laminated or varnished wood...

45002A4SNCF 400 ml spray x12

SNCF Symbol N° 72100369



### SANITOR

**9092**

Slightly abrasive lotion for the cleaning of plastic, metal, composite surfaces, industrial glass, leisure, DIY and domestic applications. Cleans, deodorises, polishes and shines all types of surface, even the most fragile.

**SNCF Internal Application**

Slightly abrasive cream, cleaning plastic, metal, composite, glass in industries

29092i2SNCF 1l canister x12

SNCF Symbol N° 02106904



### NET DEX

**501**

To be sprayed for cleaning and oxidation removal of electrical contacts. Let it dry after use.

**SNCF Internal Application**

Deoxidant cleaner adapted to contacts electric off.

4501A4SNCF 400 ml spray x12

SNCF Symbol N° 72100023



### POUDRE ACIDE

**15156**

Acid powder designed to neutralise alkaline pH cleaning baths prior to disposal or treatment.

**SNCF Internal Application**

Acid powder designed to neutralise alkaline pH cleaning baths prior to disposal or treatment.

215156S1SNCF 5 kg tub x1

SNCF Symbol N° 02100096

### SOUFFLEUR

**950**

Dust-removing aerosol, non-flammable, Mini compressed air duster that cleans without water. Dries all electro-mechanical equipment. Leaves parts perfectly dry after use.

**SNCF Internal Application**

Dust-removing aerosol, non-flammable

4950A4SNCF 650 ml spray x12

SNCF Symbol N° 72100060



## CLEAN - WIPES

### BACTIMAIN GHA

LB923530

Hydroalcoholic disinfectant gel without perfume and without allergen. Without parabens or dyes. With glycerin, to protect and soften the skin.

#### SNCF Internal Application

Hydroalcoholic gel

LB923530 100 ml bottle x24



SNCF Symbol N° ON GOING



### BACTINYL LINGETTES

LB920...

Cleaning and disinfection of surfaces in a single gesture. Ideal for worktops, tables, computers, telephones, remote controls, WC flaps ...

#### SNCF Internal Application

Disinfectant contact wipes.

LB920610 Box of 40 wipes x12  
LB920740 Box of 120 wipes x12

SNCF Symbol N° 02100346 (box of 40)  
SNCF Symbol N° 02100481 (box of 120)



### ULTRA CLEAN

575

Wipes impregnated with a refreshing cleaning solution for the effective degreasing of hands and tools that have been heavily soiled by oil, grease, ink, paint, grass, diesel, etc.

#### SNCF Internal Application

Soaked wipes for the cleaning of all soils, from natural essences.

5575S10SNCF Tub of 150 wipes x1



SNCF Symbol N° 72100059



CLEAN



# ORAPI

CLEAN & PROTECT TOGETHER

CONTACT US :

TÉL. : 04 74 40 20 25

WWW.ORAPI-PROCESS.COM

EXPORT@ORAPI.COM

## LUBRICATE - ANTI-SEIZE PASTES

### HT 600 601

Contains a special base and micronised aluminium. Particularly effective for treating: tools, axles, rollers, slow movements and any part that must be dismantled.

**SNCF Internal Application**  
Mounting paste and assembly, anti-seizing, based on aluminum, for oxidizing environments.

4601A4SNCF 400 ml spray x12

SNCF Symbol N°	72100082
----------------	----------



### HTCUC 647

Copper paste formulated especially for the rail market for the anti-corrosion protection of threaded assemblies mounted on railway cars, locomotives and railways.

**SNCF Internal Application**  
Copper anti-seize for track materials with no specific utilization.

3647B7SNCF 1 kg box x6

SNCF Symbol N°	02736771
----------------	----------



### MOLYSPRAY 700

Treatment and pretreatment of all mechanisms or parts having to be assembled. Dry lubrication of small mechanisms. Facilitate the lapping. Spray application enables to get a consistent layer.

**SNCF Internal Application**  
MOS2 dry lubricant especially for extreme cold and dusty atmospheres

4700A4SNCF 400 ml spray x12

SNCF Symbol N°	72100019
----------------	----------



### PATE NANO 2030

Anti-seize paste especially developed for applications in food industries or when proper paste is required. This paste present anti-wear and anti-seize remarkable qualities which are 3 to 10 times superiors regarding market standard pastes.

**SNCF Internal Application**  
Anti-seize paste for axles running gear cold fitting.

32030B7SNCF 1 kg box x6

32030S1SNCF 5 kg bucket x4

SNCF Symbol N°	02730103 (1 kg)
----------------	-----------------

SNCF Symbol N°	02730050 (5 kg)
----------------	-----------------



### PATE SPRAY 603

Easy to use spray which enables to applicate MoS2 paste in thin and accurate layers. Extreme pression power reinforced. Lubrication of tools and every assemblies and mechanic pieces

**SNCF Internal Application**  
Lubricating paste with mos2. Allows semi-fat pretreatment in thin layers of surfaces.

4603A4SNCF 400 ml spray x12

SNCF Symbol N°	02733290
----------------	----------



### CT4 608

Lubrication under very high load, effectively fights against wear and tear thanks to its very high quality MoS2 charge.

**NEW**

4608A4 650 ml spray x12

SNCF Symbol N°	72100280
----------------	----------



### CT 14 602

EP2 multipurpose grease for bearings and mechanisms submitted to heavy loads in dusty atmosphere. Perfect for applications in industry, cars, trucks...

**SNCF Internal Application**  
CT 14 is a "lithium" extreme pressure, multi-purpose grease

4602A4SNCF 400 ml spray x12

4602A5 500 ml spray x12

SNCF Symbol N°	72730020 (400 ml)
----------------	-------------------

SNCF Symbol N°	72730005 (500 ml)
----------------	-------------------



### M 4 660

MoS2 infusible grease. Extreme pressure, do not flow. Great steadiness in time. Great steadiness to temperature. For bearings, axis, articulations, pumps, cable tensioners...

**SNCF Internal Application**  
MOS2 infusible grease on wire tensioner

3660C4SNCF 400 ml cartridge x12

SNCF Symbol N°	02736774
----------------	----------





## LUBRICATE - GREASES

SI 4

621

For mounting and greasing of all mechanisms. Water-repellant. Excellent thermal conductivity, chemically inert. Without effects on seals. Greasing of every elastomers. Protect electric devices.

**SNCF Internal Application**

Grease for valves and taps

3621T3	100 g tube	x12
3621B7	1 kg box	x6



SNCF Symbol N°	02736200 (100 g)	
SNCF Symbol N°	ON GOING	

SI ROBINET

651

Lubrication of household and industrial valves and tap fittings. For metal, glass and plastic valves. Compatible with all seals and elastomers. The grease remains very stable when exposed to heat, hot or cold water or solvents. Chemically inert.

NEW

**SNCF Internal Application**

Anti-cracking paste for bolted stainless steel and stainless steel hydraulic joints in drinking water.

3651T3	100 g tube	x12
--------	------------	-----



SNCF Symbol N°	02730161
----------------	----------

SI 33

652

High performance silicone grease at low temperatures. Prevents sticking and deformation of joints. Resistant to washing and oxidation. Perfect resistance to solvents and chemical agents.

NEW

3652B7	1 kg box	x6
--------	----------	----

SNCF Symbol N°	02130059	
----------------	----------	--

WSA INCOLORE

605i

Marine grease. Adheres, resists to water and steam. Suitable for humid environments. Effective protection against corrosion. Rustproof properties.

**SNCF Internal Application**

Lubrication of emmarchement palette axes.

4605iA4SNCF	400 ml spray	x12
3605iC4	400 g cartridge	x12



SNCF Symbol N°	72100021 (spray)
SNCF Symbol N°	02130053 (cartridge)

## LUBRICATE - OILS

FILDUC BIO

912

For every machining operations, entire oil formulated from additives and basis carefully selected according to their biodegradability/performance profile. Operations, tools and metal crafted versatility.

**SNCF Internal Application**

Entire bio cutting oil for drilling tapping on infra worksite

2912J1SNCF	5 l canister	x4
4912A4SNCF	400 ml spray	x24



SNCF Symbol N°	02730219 (5 l)	
SNCF Symbol N°	72100272 (spray)	

FINE 121

810

Very fluid clean lubricant for delicate lubrication. Lubrication of micro-mechanisms, control devices, pneumatic circuits, chains in the food industry. Recommended by SEDIS.

NEW

2810R1	150 ml oil can	x12
--------	----------------	-----



SNCF Symbol N°	02130052
----------------	----------

GLISS BOIS

10-823

Facilitates the sliding of the wood. Silicone-free formula. Facilitates the slippage of wood on woodworking machines. Enables the application of any subsequent paint or varnish on the wood.

NEW

10-823	520/300 ml spray	x6
--------	------------------	----



SNCF Symbol N°	72100294
----------------	----------

ORAFLON

705

High-technology, semi-greasy PTFE lubricant for longlasting use. Reinforced anti wear and anti oxidation properties, excellent adherence. Very low friction coefficient.

**SNCF Internal Application**

ORAFLON is a lubricant based on micronized Teflon, EP additives and anti-rust agents

2705i2SNCF	1 l canister	x12
4705A2SNCF	250 ml spray	x12



SNCF Symbol N°	02736775 (canister)	
SNCF Symbol N°	72100355 (spray)	

LUBRICATE - OILS

**FILDUC 1879** 859 **NEW**

Cutting oil with very good extreme pressure and anti-wear properties. Effective, multi-purpose product. Exceptional adhesion on screw taps and drills. Excellent for tapping difficult holes whether "blocked" or not in all types of steel, including stainless.

2859R1 125 ml oil can x12

SNCF Symbol N° 02730210



**BLOCK OIL TOLERANT** 316

For application on pieces where degreasing cannot be perfect. Advised for gaps < 0.15mm. Fastening of rings, inserts, pulleys, bearings, cylinder liners etc. with high shearing strength.

1316F3 50 ml bottle

SNCF Symbol N° 02100454



**ANTIPERL ECO** 808

Welding sparks anti-adhesive product without silicone and solvent. Not harmful without COV and non-flammable. Emulsion into water and anti-adhesive agents usable for the protection of assemblies and tools for welding operations. Washable.

**SNCF internal application**

Welding sparks anti-adhesive product without silicone and solvent.

6808A4SNCF 400 ml spray x12

SNCF Symbol N° 72100354



**DEVERGLACANT** TNO1300 **NEW**

Helps prevent ice, frost and snow from forming on all supports: concrete, asphalt, glass...it also has a curative action that facilitates defrosting and de-icing. Ecological, very easily biodegradable, it has a double action: preventive and curative.

TNO13000489 750 ml spray PAE x28  
TNO13000441 6 kg jerrycan x4

SNCF Symbol N° 02100635 (spray)   
SNCF Symbol N° 02100723 (6 kg)



ASSEMBLE

**ORABOND** 125-128 **NEW**

For everything to stick, assemble, seal. New generation putty glue. Perfect adherence on stainless steel, aluminium, wood, zinc, lacquer, stone, glass, wool, chipboard...

**SNCF internal application**

**125** : Attaching signs to SOS bollards (INFRA information note of 26 /04/2016)

**128** : IGTE plan 21474/014018 SNCF 56005 plan 2004, for the gluing of the track markings (Fixing of safety and numbering plates)

1125C6 290 ml cartridge x12

1128C6 290 ml cartridge x12

SNCF Symbol N° ON GOING



PROTECT

**BLOC'ROUILLE** 954

Powerful rust passivator. Combines itself to form a protection: black compound, solid and adhesive on metal. Avoid recurrence of rust over several years. Treated parts can be left to bad weather.

**SNCF internal application**

Rust passivator catenary mast base curative treatment infra

2954J1SNCF 5 l jerrycan x4

SNCF Symbol N° 02108700



**FAST LINE** 901/909

Line Marking. High resistance to abrasion, even with frequent and aggressive traffic such as forklifts. Contains no lead and no chlorine. Excellent VOC content, for marking traffic and safety lines. Compatible with all surfaces.

**SNCF internal application**

New generation acrylic paint for tracing lines on all types of floors, long-lasting outdoors and indoors

8901A4 500 ml spray (yellow) x12

8909A4 500 ml spray (white) x12

SNCF Symbol N° 72100068 (yellow)

SNCF Symbol N° 72100067 (white)



## PROTECT



## FILL CRACK

904

Semi-synthetic compound for clogging of potholes on tars or bitumen Long period repair. All-weather utilization. Keep its flexibility and its elasticity. Apply in thin layer (4cm max).

**SNCF Internal Application**

Cold mix for pothole repair

890402SNCF 25 kg keg x1

SNCF Symbol N° 02100078



## ICE MELT

907

NEW

10 times more effective than traditional salt because it gives off heat by combining with water. Prevents slipping everywhere where there is the presence of ice, ice, snow: crosswalks, paths, building entrance.... Easy to use thanks to its packaging in bucket..

**SNCF Internal Application**

Avoids slipping wherever there is ice, ice, snow: crosswalks, paths, building entrances....

8907S2 14 l bucket x2

SNCF Symbol N° 82100010



## NZA BRILLANT

706

Exceptional anti-corrosion long protection (up to 3 years) for every metallic parts. Rich-zinc coating with a bright aspect. Usable in coats of primer.

**SNCF Internal Application**

Galvanizing treatment and long period protection/ Corrosive an.d marine atmosphere

4706A4SNCF 400 ml spray x12

SNCF Symbol N° 72100360



## SURFACTANT AMIANTE

C429

Aqueous base wetting and asbestos fibers fixer formulated for impregnate materials containing asbestos and which have to be crafted. Avoid fibers dispersal and secure dismantling operations of flocking confinement

**SNCF Internal Application**

Constructions sites in the presence of asbestos.

C429/0001SNCF 750 ml spray x12

C429/0005SNCF 5 l jerrycan x4

SNCF Symbol N° 02100261(spray)

SNCF Symbol N° 02100262 (5l)

## GIVREUR 2

9512

Product without silicone and without solvent. Non harmful, non VOC and non flammable. Emulsion in water of antiadherents used for the protection of fixtures and tools in welding operations. Removes with water.

**SNCF Internal Application**

Generator of intense cold, releases by thermal shock. Kill insects.

49512A4SNCF 500 ml spray x12

SNCF Symbol N° 72100213



## LEAK DETECTOR

952

NEW

Suitable for the detection of gas leaks: compressed air, oxygen, butane, propane, CO2... on fittings or valves. Detects leaks instantly by foaming. The aerosol is multi-position. Contains a corrosion inhibitor, which avoids the oxidation of the metal.

**SNCF Internal Application**

Leak detector

4952A4 650 ml spray x12

SNCF Symbol N° 72100072



## PROTOR BITUM

7272

Anticorrosion protection and dry coat tightness and flexible for a long period protection product. Essentially aimed at outdoor protection: bridges, roofs, pylons, metal frameworks, tankers, ports materials, railways... Waterproofing and protection of concrete and cement surfaces. Hiding power: 8 m<sup>2</sup>/liter

**SNCF Internal Application**

Anticorrosion bituminous protection product. Dry and flexible film sealing for long-term protection.

47272A4 500 ml spray x12

27272S1SNCF 5 kg bucket x4

SNCF Symbol N° 72100248 (spray)

SNCF Symbol N° 02108574 (5 kg)



## TUE FRELONS

591

Formulated with powerful active substances, immediate lightning action. Use only outdoors, for wasps and hornets nests destruction and all other dangerous species for mankind.

**SNCF Internal Application**

Wasps and hornets nests lightning insecticide

4591A6SNCF 1000 ml spray x12

SNCF Symbol N° 02106992



**Understanding your problems, anticipating your needs  
and meet the standards of your trades...  
ORAPI is committed to offering you quality products.**

**ORAPI designs, manufactures and markets all the consumable products  
needed to maintenance, industrial maintenance  
and machine construction.**

**Degrease, clean, lubricate, assemble and protect with ORAPI,  
the specialist in the field of maintenance and process for 50 years.**



Parc Industriel de la Plaine de l'Ain  
225, allée des Cèdres  
01150 Saint-Vulbas - FRANCE

Tel. : + 33 (0)4 74 40 20 25 - Fax : + 33 (0)4 74 40 20 26  
export@orapi.com

[www.orapi-process.com](http://www.orapi-process.com)